

High Temperature Conductance of the Single Electron Transistor

Georg Göppert and Hermann Grabert
 Fakultät für Physik, Albert-Ludwigs-Universität,
 Hermann-Herder-Straße 3, D-79104 Freiburg, Germany
 (February 7, 2008)

The linear conductance of the single electron transistor is determined in the high temperature limit. Electron tunneling is treated nonperturbatively by means of a path integral formulation and the conductance is obtained from Kubo's formula. The theoretical predictions are valid for arbitrary conductance and found to explain recent experimental data.

73.23.Hk, 73.40.Gk, 73.40.Rw

Considering applications of single electron tunneling, one is faced with a dilemma. On the one hand, the conventional approach [1] consider systems with small tunneling conductance $G_T \ll G_K = e^2/h$ implying nearly perfect charge quantization. On the other hand, when using these devices, e.g. as highly sensitive electrometers [2] or for thermometry [3], a large current signal is desirable meaning large tunneling conductance. Since for $G_T \gg G_K$ charging effects disappear, a compromise must be found in practice. This problem has spurred considerable interest in the precise behavior of single charge tunneling devices for large conductance [4,5].




FIG. 1. Circuit diagram of the single electron transistor.

In this letter, we consider the single electron transistor (SET) at high temperatures for *arbitrary* tunneling conductance of the junctions. The SET consists of two tunnel junctions in series, with tunneling conductance G_1 and G_2 and capacitance C_1 and C_2 , respectively, biased by a voltage source V which may be split among the left and right branches into $\rho_1 V$ and $\rho_2 V$ with $\rho_1 + \rho_2 = 1$, cf. Fig. 1. The island in between the junctions is connected via a gate capacitance C_g to a control voltage U_g shifting the electrostatic energy of the system continuously. The important energy scale is the charging energy $E_c = e^2/2C$ with the island capacitance $C = C_1 + C_2 + C_g$. For weak electron tunneling, E_c is the energy needed to charge the island with one excess electron at vanishing gate voltage $U_g = 0$. Due to the periodicity of the Hamiltonian in U_g , the conductance is a periodic function with period 1 of the dimensionless

voltage $n_g = U_g C_g / e$ [6]. Specifically, we are interested in the linear dc conductance for small transport voltage, that may be calculated from the Kubo formula

$$G = \lim_{\omega \rightarrow 0} \frac{1}{\hbar \omega} \text{Im} \lim_{i\nu_l \rightarrow \omega + i\delta} \int_0^{\hbar\beta} d\tau e^{i\nu_l \tau} \langle I^{(1)}(\tau) I^{(2)}(0) \rangle. \quad (1)$$

Since the dc current through both junctions coincides, the first current operator $I^{(1)}$ may be an arbitrary linear combination $I^{(1)} = \epsilon_1 I_1 - \epsilon_2 I_2$ (with $\epsilon_1 + \epsilon_2 = 1$) of the current operators I_1 and I_2 through junctions 1 and 2, respectively. The relative “-” sign comes from the opposite directions of I_1 and I_2 , which are both positive for flux onto the island. The second current operator $I^{(2)} = \kappa_1 I_1 - \kappa_2 I_2$, with the relative weights $\kappa_1 = (C_2 + \rho_1 C_g)/C$ and $\kappa_2 = (C_1 + \rho_2 C_g)/C$, is determined by linear response theory from the coupling of the transport voltage V . To evaluate the current-current correlator we employ a generating functional

$$Z[\xi_1, \xi_2] = \text{tr} T_\tau \exp \left\{ -\frac{1}{\hbar} \int_0^{\hbar\beta} d\tau \left[H - \sum_{i=1,2} I_i \xi_i(\tau) \right] \right\}, \quad (2)$$

where H is the Hamiltonian of the system for $V = 0$, and T_τ is the time ordering operator for imaginary times τ . The correlator is then given by a second order variational derivative relative to the auxiliary fields ξ_1 and ξ_2 . In the phase representation [7], we get for the generating functional

$$Z[\xi_1, \xi_2] = \int D[\varphi] \exp \left\{ -\frac{1}{\hbar} S[\varphi, \xi_1, \xi_2] \right\}, \quad (3)$$

with the effective action

$$S[\varphi, \xi_1, \xi_2] = S_c[\varphi] + S_1[\varphi, \xi_1] + S_2[\varphi, \xi_2]. \quad (4)$$

The first term on the rhs is the Coulomb action

$$S_c[\varphi] = \int_0^{\hbar\beta} d\tau \left[\frac{\dot{\varphi}^2(\tau)}{4E_c} - i n_g \dot{\varphi}(\tau) \right] \quad (5)$$

describing the Coulomb charging of the island in presence of an applied gate voltage, and the effective tunneling actions ($i = 1, 2$)

$$S_i[\varphi, \xi_i] = g_i \int_0^{\hbar\beta} d\tau d\tau' \alpha(\tau - \tau') (1 - ie\xi_i(\tau))(1 + ie\xi_i(\tau')) e^{i[\varphi(\tau) - \varphi(\tau')]} \quad (6)$$

describe quasi-particle tunneling through junctions 1 and 2, respectively. Here $g_i = G_i/G_K$ is the dimensionless conductance of junction i , and the kernel $\alpha(\tau)$ may be written as Fourier series

$$\alpha(\tau) = -\frac{1}{4\pi\beta} \sum_{n=-\infty}^{\infty} |\nu_n| e^{-i\nu_n\tau}, \quad (7)$$

where the $\nu_n = 2\pi n/\hbar\beta$ are Matsubara frequencies. For vanishing auxiliary fields the action reduces to the action of the single electron box [5] and thus the generating functional reduces to the box partition function $Z = Z[0, 0]$. Performing the variational derivatives explicitly, we get for the correlator

$$\langle I_j(\tau) I_{j'}(\tau') \rangle = \langle I_j(\tau) I_j(\tau') \rangle^E \delta_{j,j'} + \langle I_j(\tau) I_{j'}(\tau') \rangle^F. \quad (8)$$

Since the auxiliary fields are in the argument of an exponential, there are two contributions. The first term comes from the second order variational derivative of the action and reads

$$\langle I_j(\tau) I_j(\tau') \rangle^E = \frac{2e^2}{\hbar} g_j \alpha(\tau - \tau') \frac{1}{Z} \int D[\varphi] \exp \left\{ -\frac{1}{\hbar} S[\varphi] \right\} \cos[\varphi(\tau) - \varphi(\tau')], \quad (9)$$

with the box action $S[\varphi] = S[\varphi, \xi_1 = 0, \xi_2 = 0]$. The second term in Eq. (8) involves a multiplication of two current functionals arising as first order variational derivatives of the action

$$\langle I_j(\tau) I_{j'}(\tau') \rangle^F = g_j g_{j'} \frac{1}{Z} \int D[\varphi] \exp \left\{ -\frac{1}{\hbar} S[\varphi] \right\} I[\varphi, \tau] I[\varphi, \tau'], \quad (10)$$

with the current functional

$$I[\varphi, \tau] = \frac{2e}{\hbar} \int_0^{\hbar\beta} d\tau' \alpha(\tau - \tau') \sin[\varphi(\tau) - \varphi(\tau')]. \quad (11)$$

Taking into account that $\langle I_j(\tau) I_j(\tau') \rangle^E/g_j$ and $\langle I_j(\tau) I_{j'}(\tau') \rangle^F/g_j g_{j'}$ depend only on the dimensionless parallel conductance $g = g_1 + g_2$ and thus are independent of the indices j and j' , the conductance may be written as

$$G = \epsilon_1 \kappa_1 (g_1 E + g_1^2 F) - 2\epsilon_1 \kappa_2 g_1 g_2 F + \epsilon_2 \kappa_2 (g_2 E + g_2^2 F), \quad (12)$$

where

$$E = \lim_{\omega \rightarrow 0} \frac{1}{\hbar\omega} \text{Im} \lim_{i\nu_l \rightarrow \omega + i\delta} \int_0^{\hbar\beta} d\tau e^{i\nu_l \tau} \frac{\langle I_1(\tau) I_1(0) \rangle^E}{g_1} \quad (13)$$

and

$$F = \lim_{\omega \rightarrow 0} \frac{1}{\hbar\omega} \text{Im} \lim_{i\nu_l \rightarrow \omega + i\delta} \int_0^{\hbar\beta} d\tau e^{i\nu_l \tau} \frac{\langle I_1(\tau) I_1(0) \rangle^F}{g_1^2} \quad (14)$$

Since the conductance does not depend on the specific choice of the parameters ϵ_i and ρ_i , we then find that

$$G = E/(G_1^{-1} + G_2^{-1}), \quad (15)$$

This is a formally exact expression for the linear dc conductance.

To proceed, we make explicit the sum over winding numbers k of the phase and write the correlator (9) in the form

$$\langle I_1(\tau) I_1(0) \rangle^E/g_1 = \frac{2e^2}{\hbar} \alpha(\tau) \frac{1}{Z} \sum_{k=-\infty}^{\infty} \int_{\varphi(0)=0}^{\varphi(\hbar\beta)=2\pi k} D[\varphi] \exp \left\{ -\frac{1}{\hbar} S[\varphi] \right\} \cos[\varphi(\tau) - \varphi(0)]. \quad (16)$$

For given winding number k , the path integral may be evaluated approximately by expanding about the classical path $\bar{\varphi}(\tau) = \varphi(0) + \nu_k \tau$. An arbitrary path of winding number k is of the form $\varphi(\tau) = \bar{\varphi}(\tau) + \zeta(\tau)$ with $\zeta(0) = \zeta(\hbar\beta) = 0$, and the action can be written in terms of the Fourier coefficients $\zeta_n = \zeta'_n + i\zeta''_n$ as

$$S[\bar{\varphi} + \zeta] = -2\pi i k n_g + S_{\text{cl}}^{(k)} + \delta^2 S^{(k)} + \delta^4 S^{(k)} + \dots \quad (17)$$

Here

$$S_{\text{cl}}^{(k)} = \frac{\pi^2 k^2}{\beta E_c} + |k| \frac{g}{2}, \quad (18)$$

is the action of the classical path. The second term reads

$$\delta^2 S^{(k)} = \sum_{n=1}^{\infty} \lambda_n^{(k)} (\zeta_n'^2 + \zeta_n''^2), \quad (19)$$

with the eigenvalues

$$\lambda_n^{(k)} = \frac{2\pi^2 n^2}{\beta E_c} + g \Theta(n - |k|)(n - |k|). \quad (20)$$

The term $\delta^4 S^{(k)}$ is of fourth order in the Fourier components ζ_n and not given explicitly here. Since the $\lambda_n^{(k)}$ are large for small βE_c , the expansion (17) about the classical path converges rapidly for high temperatures.

Rewriting the cosine function in Eq. (16) as a sum of exponentials, we get for the correlator the expansion

$$\langle I_1(\tau)I_1(0) \rangle^E / g_1 = \frac{2e^2}{\hbar} \alpha(\tau) \frac{1}{Z} \sum_{k=-\infty}^{\infty} C_k e^{2\pi i k n_g} \cos(\nu_k \tau) \exp \left[-2 \sum_{n=1}^{\infty} \frac{1 - \cos(\nu_n \tau)}{\lambda_n^{(k)}} \right] \left[1 + S_4^{(k)} + \dots \right], \quad (21)$$

where the coefficients C_k read

$$C_k = \frac{\Gamma(1+k_+) \Gamma(1+k_-)}{\Gamma^2(1+k) \Gamma(1+u)} e^{-S_{cl}^{(k)}}, \quad (22)$$

with $k_{\pm} = k + \frac{u}{2} \pm \frac{1}{2} \sqrt{4uk + u^2}$ and $u = g\beta E_c / 2\pi^2$. The dominant corrections to the semiclassical approximation are described by

$$S_4^{(k)} = -\frac{1}{2} g \hbar \beta \sum_{m, n \neq 0} \frac{1}{\lambda_m^{(k)} \lambda_n^{(k)}} \left[\tilde{\alpha}(\nu_k) - 2\tilde{\alpha}(\nu_{n+k}) - 2\tilde{\alpha}(\nu_{n-k}) + \tilde{\alpha}(\nu_{m+n+k}) + \tilde{\alpha}(\nu_{m+n-k}) \right]. \quad (23)$$

The corresponding expansion of the partition function Z reads

$$E(\nu_l) = \frac{4\pi}{\hbar} \frac{1}{Z} \sum_{k=-\infty}^{\infty} C_k e^{2\pi i k n_g} \exp \left[-2 \sum_{n=1}^{\infty} \frac{1}{\lambda_n^{(k)}} \right] \left\{ \tilde{\alpha}(\nu_{l+k}) + \sum_{m \neq 0} \frac{\tilde{\alpha}(\nu_{l+k+m})}{\lambda_m^{(k)}} + \frac{1}{2} \sum_{m, n \neq 0} \frac{\tilde{\alpha}(\nu_{l+k+m+n})}{\lambda_m^{(k)} \lambda_n^{(k)}} + \tilde{\alpha}(\nu_{l+k}) S_4^{(k)} + \dots \right\}. \quad (26)$$

When these coefficients are analytically continued in the complex ν plane, they are analytic on each half plane $\text{Re } \nu \lesseqgtr 0$ with a cut along the imaginary axis [8]. The representation of $E(\nu)$ as a sum over winding numbers k shifts this cut to $\text{Re } \nu = k$ for the k th term of the sum. Thus, in the phase representation, only the full sum shows the analytic properties underlying the conductance formula (1). To deal with this problem we formally change to the charge representation, perform the analytic continuation and the $\omega \rightarrow 0$ limit there, and then go back to the phase representation. This way the high temperature expansion of the conductance (15) may be evaluated to read

$$G = [1/(G_1^{-1} + G_2^{-1})] Z^{-1} \exp \{ -2[\gamma + \psi(1+u)]/g \} \left\{ 1 - \psi'(1+u)(\beta E_c / \pi^2) + [g\sigma(u) + \tau(u)] (\beta E_c / 2\pi^2)^2 + \mathcal{O}(\beta E_c)^3 \right\}. \quad (27)$$

$$\Xi(u, v) = \frac{\psi'(1+u)}{u \ln(v)} + \frac{1}{(1-v)u} \left\{ \frac{1-2v^u}{v} \left[\ln(v) \phi\left(\frac{1}{v}, 1, 1+u\right) + \phi\left(\frac{1}{v}, 2, 1+u\right) \right] + 2v \phi(v, 2, 1+u) - \frac{2(1-v^u)}{u} [\ln(1-v) + v \phi(v, 1, 1+u)] + v^u \left[2 \ln(v) \ln(1-v) + \frac{1}{2} \ln^2(v) + 3 \text{Li}_2(1-v) \right] \right\}. \quad (30)$$

The high temperature expansion of Z is straightforward and reads

$$Z = 1 + g\sigma(u)(\beta E_c / 2\pi^2)^2 + \mathcal{O}(\beta E_c)^3 + 2C_1 \cos(2\pi n_g) [1 + \mathcal{O}(\beta E_c)^2], \quad (31)$$

which combines with Eq. (27) to yield an analytical ex-

$$Z = \sum_{k=-\infty}^{\infty} C_k e^{2\pi i k n_g} \left[1 + S_4^{(k)} + \dots \right], \quad (24)$$

with the same correction (23). The expansions (21) and (24) proceed in powers of βE_c , however, terms involving $u = g\beta E_c / 2\pi^2$ are kept to *all* orders. This ensures a meaningful result in the limit of moderately high temperatures also for large conductance g .

From Eq. (21) one obtains for the Fourier coefficients

$$E(\nu_l) = \int_0^{\hbar \beta} d\tau e^{i\nu_l \tau} \langle I_1(\tau)I_1(0) \rangle^E / g_1 \quad (25)$$

the high temperature expansion

The dependence on $u = g\beta E_c / 2\pi^2$ is given in terms of the digamma function $\psi(z)$ and two auxiliary functions

$$\sigma(u) = \frac{\gamma + \psi(1+u) - u\psi'(1+u)}{u^2} + \int_0^1 dv \frac{2v(1-v^u)\phi(v, 1, 1+u)}{(1-v)u} \quad (28)$$

and

$$\tau(u) = \frac{\pi^2}{6u} \psi(1+u) - \frac{[\psi(1+u) + \gamma]^2}{u^2} + \int_0^1 dv \Xi(u, v) - \frac{3\gamma\psi'(1+u) + \psi(1+u)[\frac{\pi^2}{6} + 2\psi'(1+u)]}{u}, \quad (29)$$

with Lerch's transcendent $\phi(z, u, v)$ [9] and

pression for the high temperature conduction of a SET valid for arbitrary tunneling conductance.

In the region of weak tunneling, $g < 1$, the quantity u becomes small at high temperatures and we may replace $\sigma(u)$ and $\tau(u)$ by

$$\sigma(0) = 3\zeta(3), \quad \tau(0) = \pi^4/10. \quad (32)$$

This gives for the conductance of a weakly conducting SET

$$G = \frac{1}{G_1^{-1} + G_2^{-1}} \left\{ 1 - \frac{\beta E_c}{3} + \left[\frac{1}{15} + g \frac{3\zeta(3)}{2\pi^4} \right] (\beta E_c)^2 + \mathcal{O}(\beta E_c)^3 \right\}, \quad (33)$$

in accordance with earlier work [10]. In the region of strong tunneling the quantity u is typically large even for the highest temperatures explored experimentally and the full expression (27), (31) must be used.




FIG. 2. Maximum and minimum linear conductance in dependence on dimensionless temperature for two dimensionless parallel conductances $\alpha = 2.5$ and 7.3 compared with experimental data (symbols) by Joyez et al. [11].

We have compared our findings with recent experimental data by Joyez et al. [11] for transistors with $g = 0.6$, 2.5 and 7.3 . As seen from Fig. 2 the theory describes the high temperature behavior of all junctions (results for $g = 0.6$ are not shown) down to temperatures where the current starts to modulate with the gate voltage. The parameters have *not* been adjusted to improve the fit

but coincide with the values given in [11]. The small deviations between theory and experiment for $g = 7.3$ near $\beta E_c = 1$ may arise from experimental uncertainties in βE_c . We mention that the temperature dependence of the conductance of the highly conducting SET ($g = 7.3$) is not within reach of previous theoretical predictions. The results obtained thus present substantial progress and should be useful for experimental studies of even larger tunneling conductances since the predictions remain valid for arbitrary values of g .

The authors would like to thank Michel Devoret, Daniel Esteve, and Philippe Joyez for valuable discussions. Financial support was provided by the Deutsche Forschungsgemeinschaft (DFG) and the Deutscher Akademischer Austauschdienst (DAAD).

-
- [1] *Single Charge Tunneling*, H. Grabert, M.H. Devoret (eds.), NATO ASI Series B, Vol. 294 (Plenum, NY, 1992).
 - [2] T.A. Fulton and G.J. Dolan, Phys. Rev. Lett. **59**, 109 (1987).
 - [3] J.P. Pekola, K.P. Hirvi, J.P. Kauppinen, and M.A. Paalanen, Phys. Rev. Lett. **73**, 2903 (1994).
 - [4] H. Grabert, Phys. Rev. B **50**, 17364 (1994); H. Schoeller and G. Schön, Phys. Rev. B **50**, 18436 (1994); G. Göppert, X. Wang, and H. Grabert, Phys. Rev. B **55**, R10213 (1997); D.S. Golubev, J. König, H. Schoeller, G. Schön, and A.D. Zaikin, Phys. Rev. B **56**, 15782 (1997).
 - [5] X. Wang and H. Grabert, Phys. Rev. B **53**, 12621 (1996).
 - [6] D.V. Averin and K.K. Likharev, in *Mesoscopic Phenomena in Solids*, ed. by B.L. Altshuler, P.A. Lee, and R.A. Webb, p. 173 (North-Holland, Amsterdam, 1991).
 - [7] G. Schön and A.D. Zaikin, Phys. Rep. **198**, (1990).
 - [8] G. Baym and N.D. Mermin, J. Math. Phys. **2**, 232 (1961).
 - [9] W. Magnus, F. Oberhettinger, and R.P. Soni, *Formulas and Theorems for the Special Functions of Mathematical Physics* (Springer, Berlin, 1966).
 - [10] G. Göppert, Diploma thesis, Freiburg 1996; P. Joyez and D. Esteve, Phys. Rev. B **56**, 1848 (1997).
 - [11] P. Joyez, V. Bouchiat, D. Esteve, C. Urbina, and M.H. Devoret, Phys. Rev. Lett. **79**, 1349 (1997).